



C. HOOGENDOORN
WHOLESALE NURSERYMAN

**50 ACRES
GENERAL LINE OF
EVERGREENS AND SHRUBS**

MEMBER OF:

AMERICAN ASSN. OF NURSERYMEN
PLANT PROPAGATOR'S SOCIETY
N. E. NURSERYMEN'S ASSN.
R. I. NURSERYMEN'S ASSN.

408 TURNER ROAD

NEWPORT, R. I.

TEL. AREA CODE 401 847-3405

**SPECIALIZING IN LINING-OUT
STOCK AND NOVELTIES**

ESTABLISHED 1925

405 NATIONAL AGRICULTURAL LIBRARY

RECEIVED

DEC 10 1962

SPRING, 1963

U. S. DEPARTMENT OF AGRICULTURE SPRING, 1963

DECEMBER 10, 1962

LINING-OUT STOCK & LANDSCAPE MATERIAL

LINING-OUT STOCK

[illegible]

LINING-OUT STOCK - continued

Per 100 (each) Per 1000 (each)

CORNUS

1,000 elegantissima (true)(variegated foliage, bright red stem), 2 yr. T, 2-2½'	\$.30	\$.25
500 florida pyramidalis (White narrow upright growing Dogwood)		
1 yr. grafts, 12-15"	.60	
2 yr. grafts, 15-18"	.75	
750 kousa chinensis (Chinese Kousa Dogwood), 1 yr. grafts, 9-12"	.75	
2 yr. grafts, 18-24"	1.25	

COTONEASTER

1,000 horizontalis, 1 yr. sdls., 5-8"	.15	.12
1,000 " prostrata, 1 yr. sdls., 4-6"	.18	.15
200 wardi, 1 yr. T., 9-12"	.50	

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

COTONEASTER PRAECOX

| | | | | |
|--|----------|----------|--|---|
| * This is one of the hardiest Cotoneasters and went through 20 degrees below zero without any harm. It has large berries like cranberries which color up in the middle of August and remain on until very late Fall. It grows rather flat and makes an ideal plant to mix in with foundation plantings, especially around ranch type houses. It also makes an ideal low spreading hedge. | | | | |
| * 1,500 2 yr. T, 6-12" | each .50 | each .45 | | * |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |

CRYPTOMERIA

| | |
|--|------|
| 25 lobbi compacta, strong 1 yr. grafts | 1.00 |
|--|------|

CYTISUS

| | |
|--|-----|
| 500 praecox (Warminster Broom)(creamy white), 1 yr. T, 8-12" | .60 |
|--|-----|

EUONYMUS

| | | |
|-------------------------------------|-----|-----|
| 3,500 vegetus, strong 1 yr. T, 6-9" | .30 | .25 |
|-------------------------------------|-----|-----|

FAGUS SYLVATICA

| | |
|---|------|
| 250 asplenifolia (Fernleaf Beech), 2 yr. grafts, 12-15" | 1.50 |
| 3 yr. grafts, 15-18" | 2.00 |
| 175 pendula (Green Weeping Beech), 2 yr. grafts, 15-18" | 1.50 |
| 3 yr. grafts, 15-18" | 2.00 |
| 300 pyramidalis (Pyramid Green Beech), 2 yr. grafts, 15-18" | 1.50 |
| 3 yr. grafts, 15-18" | 2.00 |
| 750 riversi (River's Purple Beech), 2 yr. grafts, 12-15" | 1.50 |
| 3 yr. grafts, 15-18" | 2.00 |

FORSYTHIA

| | | |
|--|-----|-----|
| 250 Lynwood Gold, 1 yr. T, softwood cuttings, 15-18" | .18 | .15 |
| 500 Spring Glory, 1 yr. T, " " , 15-18" | .18 | .15 |

HYDRANGEA

| | | |
|------------------------------|-----|-----|
| 500 Nikko Blue, 2 yr. bedded | .75 | .60 |
|------------------------------|-----|-----|

* - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - *

HYDRANGEA PETIOLARIS (TRUE)

* (Climbing Hydrangea) *

| | | | | |
|---|----------|----------|--|---|
| * An attractive vine which does equally well in shade or sun. Its foliage is bold, clean and shrub-like and a rich dark green color. Short spur branches are topped with white, fragrant, Hydrangea-like blooms during the summer and lasts for a considerable period. Climbing Hydrangea is one of the finest and choicest vines grown. It clings by rootlets to walls and trees without support and can be planted against rocks for a cover. | | | | |
| * 1,000 1 yr. pot-grown, rooted cuttings, 2½" pots, 8-15" | each .50 | each .45 | | * |
| * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * - * | | | | |

LINING-OUT STOCK - continued

| | Per 100
(each) | Per 1000
(each) |
|---|-------------------|--------------------|
| <u>ILEX AQUIFOLIUM (HARDY) (ENGLISH HOLLY)</u> | | |
| 350 aquifolium female, 1 yr. T | \$.45 | \$ |
| 250 " " , 2 yr. T, 15-18" | .75 | |
| 250 " male, 1 yr. T | .45 | |
| 200 " " , 2 yr. T, 15-18" | .75 | |
| > 250 J. S. Esson, 1 yr. T | .45 | |
| 250 " " " , 2 yr. T, 12-15" | .75 | |
| > 100 Judge Brown No. 7, female, 1 yr. T | .45 | |
| > 200 " " No. 9, male, 1 yr. T | .45 | |
| > 200 New York Botanical Gardens, male, 2 yr. T, 15-18" | .75 | |
| 500 pyramidalis, 1 yr. T | .45 | |
| 175 " , 2 yr. T, 12-15" | .75 | |
| <u>ILEX CRENATA (JAPANESE HOLLY)</u> | | |
| 250 crenata (true, cutting grown), 1 yr. T | .25 | .20 |
| 250 " (" " "), 2 yr. T | .35 | .30 |
| 500 compacta, 1 yr. T | .25 | .20 |
| 500 " , 2 yr. T, 6-8" | .35 | .30 |
| 500 convexa, 1 yr. T | .25 | .20 |
| 500 helleri, 1 yr. T, 3-4" spread | .30 | .25 |
| 750 " , 2 yr. T, 6-8" | .40 | .35 |
| 500 hetzi, strong 1 yr. T, 4-6" | .25 | .20 |
| 200 " , " 2 yr. T, 6-8" | .35 | .30 |
| 500 rotundifolia, 1 yr. T | .25 | .20 |
| <u>ILEX OPACA (AMERICAN HOLLY)</u> | | |
| 200 opaca, male, 1 yr. T | .45 | |
| 200 " , " , 2 yr. T, 12-18" | .75 | |
| 250 Farrage, 1 yr. T | .45 | |
| 200 " , 2 yr. T, 12-15" | .75 | |
| 250 Old Heavy Berry (Hookstraw), 1 yr. T | .45 | |
| 250 " " " ("), 2 yr. T, 12-15" | .75 | |
| 350 St. Mary, 1 yr. T | .45 | |
| 200 " " , 2 yr. T, 12-15" | .75 | |
| 200 Yule, 1 yr. T | .45 | |
| 100 " , 2 yr. T, 12-15" | .75 | |
| 2 YEAR HOLLY WERE CUT BACK LAST SPRING TO INSURE NICE BRANCHY PLANTS | | |
| <u>JUNIPER</u> | | |
| 250 chinensis Blauwi, 1 yr. grafts, 6-8" | .75 | |
| 200 hetzi, 2 yr. T | .35 | |
| 500 San Jose, 1 yr. grafts | .75 | |
| 2,500 virginiana, 1 yr. sdls. | .05 | .03 |
| <u>LEUCOTHOE</u> | | |
| 1,500 catesbaei, 3 yr. TT | .40 | .35 |
| <u>MAGNOLIA</u> | | |
| 250 conspicua (Denudata) (considered one of the hardiest
Magnolias, finest pure white, blooms early May)
2 yr. grafts, 12-18" | 1.25 | |
| 250 Dr. Merrill (NEW) (M. KOBUS X stellata, white, a hardy
variety), 2 yr. T, 10-15" | 1.00 | |
| 350 lennei (large rich rose-purple), 2 yr. grafts, 12-18" | 1.25 | |
| 75 rustica rubra (pale purple globular flowers), 2 yr.
grafts, 18-24" | 1.25 | |
| 1,000 soulangeana (pinkish), 2 yr. T, 12-18" | .60 | .50 |
| 100 " alba (white), 2 yr. T, 10-15" | .60 | |
| <u>MALUS (Flowering Crab)</u> | | |
| 250 hopa (pink), 1 yr. grafts | .25 | |

| <u>LINING-OUT STOCK - continued</u> | | Per 100
(each) | Per 1000
(each) |
|--|---|-------------------|--------------------|
| <u>PIERIS</u> | * - * - * - * - * - * - * - * - * - * - * - * - * | | |
| - | <u>PIERIS JAPONICA</u> (Andromeda Japonica) | - | |
| * We collect our own seed from only the best and | | * | |
| - healthiest plants insuring strong uniform plants. | | - | |
| * Per 100 Per 1000 | | * | |
| - 2,500 3 yr. TT, 9-12" each .45 each .40 | | - | |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - | <u>PIERIS JAPONICA</u> (Pink Andromeda) | - | |
| * Decidedly pink in bud and when the flower first | | * | |
| - opens up, then fades to white. Slower and more | | - | |
| * compact grower than the regular Pieris japonica. | | * | |
| - 200 3 yr. TT, 6-9" .50 each | | - | |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| <u>PINUS</u> (Pine) | | | |
| 50 cembra (Swiss Stone Pine), 1 yr. grafts | | \$ 1.25 | \$ |
| 50 parviflora glauca (Japanese White Pine), 1 yr. grafts | | 1.25 | |
| <u>PRUNUS</u> | | | |
| 1,500 kwanzan (Japanese Flowering Cherry), 2 yr. T, staked,
on 3' stems, 5-6', 1/2 - 3/4" caliper | | 1.25 | 1.00 |
| 2,500 maritima (Beach Plum), strong 1 yr. sdls., 10-18" | | .18 | .15 |
| <u>PSEUDOTSUGA</u> (Fir) | | | |
| 200 taxifolia glauca (Douglas Fir), 4 yr. T, 12-15" | | .25 | |
| <u>RHODODENDRON</u> | | | |
| 500 carolinianum alba, 3 yr. TT | | .60 | |
| 500 catawbiense compactum, 3 yr. TT | | .50 | .45 |
| 500 virgin, branched, 3 yr. TT, 6-10" | | .50 | .45 |
| 250 wilsoni (dwarf), 2 yr. T, 6-9" | | .75 | |
| <u>RHODODENDRON HYBRIDS</u> | | | |
| 300 Cunningham White, 2 yr. T, 8-10", B&B | | 2.00 | |
| 250 English Roseum, 2 yr. T, 9-12", B&B | | 2.00 | |
| 250 Roseum Elegans, 2 yr. T, 9-12", B&B | | 2.00 | |
| <u>RHUS</u> | * - * - * - * - * - * - * - * - * - * - * - * - * | | |
| - | <u>RHUS COTINUS ROYAL PURPLE</u> | - | |
| * (NEW dark purple-red leaf Smokebush) | | * | |
| - 500 1 yr. grafts bedded, 12-18" (Good size for | | - | |
| * canning) | | * | |
| - Per 100 Per 1000 | | * | |
| - each .75 each .60 | | - | |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| <u>TAXUS</u> (Japanese Yew) | | | |
| 500 baccata repandens (Spreading English Yew), 2 yr. T | | .35 | .30 |
| 2 yr. grafts | | .45 | .40 |
| 1,000 brevifolia nana (Dwarf Japanese Yew), 2 yr. T | | .25 | .20 |
| 5 yr. TT | | .60 | .55 |
| 1,500 browni, 2 yr. T | | .25 | .20 |
| 3 yr. bedded and cutback | | .35 | .30 |
| 5 yr. TT | | .60 | .55 |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - | <u>TAXUS CAPITATA</u> | - | |
| * (Upright Japanese Yew) Per 100 Per 1000* | | | |
| - 10,000 strong 2 yr. selected sdls. (each) (each) | | - | |
| * (Seed sown lightly. Plants grown | | * | |
| - with plenty of room in beds) | | .06 .05 | - |
| * 1,500 6 yr. TT, 15-18" | | .75 .60 | * |
| - * - * - * - * - * - * - * - * - * - * - * - * | | | |

| <u>LINING-OUT STOCK - continued</u> | | Per 100 | Per 1000 |
|---|-----|---------|----------|
| <u>TAXUS (continued)</u> | | (each) | (each) |
| 1,000 cuspidata (Spreading Japanese Yew), 3 yr. T, bedded and cutback | | \$.35 | \$.30 |
| 5,000 densiformis (Spreading Japanese Yew), dense grower, 2 yr. T | | .25 | .20 |
| 3 yr. T, bedded and cutback | | .35 | .30 |
| 4 yr. TT, bedded | | .45 | .40 |
| 5 yr. TT | | .60 | .55 |
| 5,000 hatfieldi (Upright Hatfield Yew), 2 yr. T | | .25 | .20 |
| 3 yr. T, bedded & cutback, 8-12" | | .35 | .30 |
| 5 yr. TT, 12-15" | | .60 | .55 |
| 1,000 intermedia (Spreading Japanese Yew), 3 yr. T, bedded and cutback | | .35 | .30 |
| 5 yr. TT | | .60 | .55 |
| 5,000 nigra (Outstanding Dark Green Compact Spreading Japanese Yew), 2 yr. T | | .30 | .25 |
| 3 yr. T | | .35 | .30 |
| 500 sebian (Spreading Japanese Yew), 2 yr. T, dense grower | | .25 | .20 |
| ALL OUR 3 YEAR TAXUS WERE CUT BACK LAST SPRING AND ARE HEAVY WITH GOOD ROOT SYSTEMS AND TOPS. | | | |
| WRITE FOR SPECIAL PRICES ON LARGE QUANTITIES OF TAXUS | | | |
| <u>THUJA (Arborvitae)</u> | | | |
| 750 nigra (Dark American Arborvitae), 2 yr. T, 15-18" | | .40 | .35 |
| 500 pyramidalis (Pyramid Arborvitae), 2 yr. T, 15-18" | | .40 | |
| <u>TSUGA (Hemlock)</u> | | | |
| 1,500 macrophylla, 4 yr. T, 6-8" | | .50 | .45 |
| 750 canadensis pendula, variety SARGENT (Sargent Weeping Hemlock), 1 yr. grafts, 8-10" | | 1.00 | |
| <u>VIBURNUM</u> | | | |
| 250 carlesi, 3 yr. T, 12-18", branched | | .75 | .60 |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - VIBURNUM CARLESI COMPACTUM (NEW) - | | | |
| * This is a compact form of Viburnum carlesi with dark * | | | |
| - green leaves and buds up very readily. - | | | |
| * Per 100 Per 1000 * | | | |
| - (each) (each) - | | | |
| * 250 2 yr. T, bedded | .50 | .45 | * |
| - 100 2 yr. grafts | .90 | | - |
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| 500 chenaulti, 1 yr. T, 4-6" | | .25 | .20 |
| 150 " , 2 yr. T, bedded, 18-24" | | .40 | |
| 200 plicatum (Japanese Snowball), 1 yr. T, bedded, 18-24" | | .25 | |
| 500 rhytidophyllum (Leatherleaf Viburnum), 1 yr. T, 6-8" | | .25 | |
| 200 setigerum (Theiferum)(Tea Viburnum), 2 yr. T, cuttings, bedded, 2-2½' | | .35 | .30 |
| 1,000 tomentosum (true)(Doublefile Viburnum), 2 yr. T, 2-2½' | | .25 | .20 |
| <u>VITEX</u> | | | |
| 250 macrophylla, 1 yr. T, cutting grown, 15-18" | | .30 | .25 |
| <u>WEIGELA</u> | | | |
| 200 Vaniceki, 1 yr. T, softwood cuttings, 18-24" | | .18 | |
| <u>WISTERIA</u> | | | |
| 250 sinensis (blue), 1 yr. grafts | | .75 | |
| 150 " Jako (fragrant white), 1 yr. grafts | | .75 | |

| <u>LANDSCAPE MATERIAL</u> | | Per 100
(each) | Per 1000
(each) |
|---|---|-------------------|--------------------|
| <u>ACER</u> (Red Japanese Maple) | | | |
| 350 | palmatum atropurpureum, selected types, 15-18", B&B | \$ 2.50 | \$ |
| 500 | " " " " " 18-24", B&B | 3.00 | |
| 50 | " " " " " Oshiu Beni, 2-3', B&B | 5.00 | |
| <u>ALTHEA</u> | | | |
| 50 | coelestris (blue), 15-18", B.R. | .60 | |
| 150 | Lady Stanley (semi-double white with pink center) | | |
| | 18-24", B&B, heavy | 1.25 | |
| | 2-2½', B&B, heavy | 1.50 | |
| 100 | W. R. Smith (large single white), 18-24", B&B, heavy | 1.25 | |
| <u>AZALEA</u> | | | |
| 500 | hinocrimson (red), 8-10", B&B | 1.00 | |
| | 10-12", B&B | 1.25 | |
| <u>BUXUS</u> (Boxwood) | | | |
| 250 | sempervirens (true)(hard sheared globes), 16-18", B&B | 2.50 | |
| <u>CHAMAECYPARIS</u> | | | |
| 50 | obtusata gracilis, 18-24" | 2.50 | |
| <u>CLEMATIS</u> | | | |
| 350 | Montana Rubens (Pink Anemone Clematis), 2 yr., field
grown, staked, 3-4' | 1.00 | |
| <u>CORNUS</u> | | | |
| 250 | kousa, 2½-3', B&B | 2.50 | |
| <u>COTONEASTER</u> | | | |
| 250 | divaricata, 2-2½', B&B, heavy | 1.50 | |
| 500 | praecox, 15-18", B&B | 2.00 | |
| 200 | " " " 18-24", B&B | 2.50 | |
| <u>EPEMEDIIUM</u> (Good for planting under Rhododendrons and other shady
places as well as in sunny locations as it does equally
well in either sun or shade) | | | |
| 2,500 | rubrum (red), 1 yr. | .45 | .40 |
| <u>ERICA CARNEA WINTERBEAUTY</u> - (SOLD OUT FOR SPRING, 1963) | | | |
| <u>EUONYMUS</u> | | | |
| 150 | vegetus, 4 yr., 12-15", B&B | 1.25 | |
| <u>FAGUS SYLVATICA</u> | | | |
| 10 | bicolor, 2½-3', B&B | 3.50 | |
| 25 | pyramidalis (Pyramid Green Beech), 3-4', B&B | 4.00 | |
| | 4-5', B&B | 5.00 | |
| 100 | riversi (River's Purple Beech), 2½-3', B&B | 3.50 | |
| | 3-4', B&B | 4.00 | |
| <u>FORSYTHIA</u> | | | |
| 75 | Beatrice Farrand, 3-4', B&B | 1.25 | |
| 250 | Lynwood Gold, 3-4', B&B | 1.25 | |
| <u>HELLEBORUS</u> * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - | <u>HELLEBORUS NIGER</u> (Christmas Rose) | - | |
| * | Suitable for mail order trade and to pot up for | * | |
| - | roadside stand sales | Per 100 Per 1000 | - |
| * | | (each) (each) | * |
| - | 5,000 2 yr. T | .40 .35 | - |
| * | 1,000 3 yr. T, blooming size | .50 .45 | * |
| - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| * | <u>HELLEBORUS ORIENTALIS ATRORUBENS</u> | * | |
| - | (Purplish-red flowers) | - | |
| * | | Per 100 Per 1000* | |
| - | 1,500 2 yr. T each | 1.50 each 1.25 | - |
| * - * - * - * - * - * - * - * - * - * - * - * | | | |
| <u>HYDRANGEA</u> | | | |
| 350 | hortensis compacta (blue), 2 yr. T | .75 | .60 |
| 500 | Nikko Blue, 2 yr. bedded | .75 | .60 |

LANDSCAPE MATERIAL - continuedPer 100
(each) Per 1000
(each)ILEX

| | | | |
|-----|---|---------|----|
| 100 | aquifolium (Hardy English Holly), female, bushy, B&B,
18-24" | \$ 2.50 | \$ |
| 75 | " pyramidalis, 15-18", B&B | 2.00 | |
| 25 | crenata, 18-24", B&B | 2.50 | |
| 150 | " compacta, 12-15", B&B | 2.00 | |
| | 15-18", B&B | 2.50 | |
| 75 | " helleri, 9-12", B&B | 1.50 | |
| 100 | " hetzi, 15-18", B&B | 2.00 | |
| 25 | " latifolia, 15-18", B&B | 2.00 | |
| 100 | " " , 18-24", B&B | 2.50 | |
| 50 | " " , 2-2½', B&B | 3.00 | |
| 10 | " rotundifolia, 15-18", B&B | 2.00 | |
| 25 | opaca (American Holly), male, cutback, 15-18", B&B | 2.50 | |
| 75 | " (" "), Farrage, 15-18", B&B | 2.00 | |
| 100 | " (" "), Old Heavy Berry, 15-18", B&B | 2.00 | |
| | 18-24", B&B | 2.50 | |
| 75 | " (" "), St. Mary, 15-18", B&B | 2.00 | |

AMERICAN & ENGLISH HOLLIES WERE TRANSPLANTED 2
YEARS AGO AND HAVE EXCELLENT ROOT SYSTEMSJUNIPER

| | | | |
|-----|---------------------------------|------|--|
| 50 | hetzi, 15-18", B&B | 2.00 | |
| 100 | " , 18-24", B&B | 2.50 | |
| 50 | pfitzeriana glauca, 18-24", B&B | 2.50 | |
| 150 | San Jose, 15-18", B&B | 2.50 | |

LEUCOTHOE

| | | | |
|-----|------------------------|------|--|
| 250 | catesbaei, 15-18", B&B | 2.00 | |
| 50 | Rainbow, 12-15", B&B | 2.00 | |

MALUS (Flowering Crab)

| | | | |
|----|--|------|--|
| 20 | Prince George (Improved Betcel Double Pink), 3-4', B&B | 2.50 | |
|----|--|------|--|

PACHYSTIMA (An excellent ground cover for shady places)

| | | | |
|-------|------------------------|-----|-----|
| 1,000 | canbyi, strong 2 yr. T | .45 | .40 |
|-------|------------------------|-----|-----|

PICEA (Spruce)

| | | | |
|----|--|-------|--|
| 40 | hoopsi (Bluest of ALL Blue Spruce), 3-3½', B&B | 20.00 | |
| 10 | moerheimi, 3-3½', B&B | 20.00 | |

PIERIS

| | | | |
|--|--------------------------------------|------|---|
| * - * - * - * - * - * - * - * - * - * - * - * - * | | | |
| - | PIERIS JAPONICA (Andromeda Japonica) | - | |
| * All Pieris japonica are broad plants, heavily budded | * | | |
| - with beautiful dark green foliage. | Per 100 | - | |
| * | (each) | * | |
| - | 250 12-15", heavy & broad | 1.50 | - |
| * | 250 15-18", " " " | 2.00 | * |
| - | 500 18-24", " " " | 2.50 | - |
| * | 500 2-2½', " " " | 3.00 | * |
| - * - * - * - * - * - * - * - * - * - * - * - * | | | |

PINUS (Pine)

| | | | |
|-----|--|------|--|
| 250 | thunbergi (Japanese Black Pine), 18-24", B&B | 2.00 | |
|-----|--|------|--|

PRUNUS

| | | | |
|-------|--|------|------|
| 1,500 | kwanzan (Japanese Flowering Cherry, Double Pink), 2 yr. T
staked, on 3' stems, branched, 5-6', 1/2 - 3/4" | | |
| | caliper, B.R. | 1.50 | 1.25 |
| | B&B | 2.00 | 1.75 |
| | 6-7', 3/4 - 1" caliper, B.R. | 1.75 | 1.50 |
| | B&B | 2.25 | 2.00 |

PSEUDOTSUGA (Douglas Fir)

| | | | |
|-----|-----------------|------|--|
| 50 | Douglasi, 2-2½' | 2.00 | |
| 150 | " , 2½-3' | 2.50 | |

RHODODENDRON

| | | | |
|----|------------------------------|------|--|
| 50 | wilsoni (dwarf), 12-15", B&B | 3.00 | |
|----|------------------------------|------|--|

LANDSCAPE MATERIAL - continued

| | | Per 100
(each) | Per 1000
(each) |
|---------------------------------------|--|-------------------|--------------------|
| <u>RHUS</u> | * - * - * - * - * - * - * - * - * - * - * | | |
| | - RHUS COTINUS ROYAL PURPLE - | | |
| | * (NEW dark purple-red leaf Smokebush) * | | |
| | - Per 100 Per 1000 - | | |
| | * 250 18-24", B.R. each 1.25 each 1.00 * | | |
| | - * - * - * - * - * - * - * - * - * - * | | |
| <u>RHUS</u> (Sumac) | | | |
| 25 | typhina laciniata (Cutleaf Sumac), 4-5', B&B | \$ 4.00 | \$ |
| <u>SORBUS</u> (European Mountain Ash) | | | |
| 75 | aucuparia, 5-6', B&B | 2.50 | |
| 50 | " , 6-7', B&B | 3.00 | |
| <u>TAXUS</u> (Japanese Yew) | | | |
| 250 | brevifolia (Dwarf Japanese Yew), 10-12", B&B | 1.25 | |
| 50 | capitata (Upright Japanese Yew), 18-24", B&B | 3.00 | |
| 150 | " (" " "), 2-2½', B&B | 3.50 | |
| 500 | cuspidata (Spreading Japanese Yew), 15-18", B&B | 2.00 | |
| 100 | " (" " "), 18-24", B&B | 2.50 | |
| 1,000 | densiformis (Spreading Japanese Yew), dense grower,
5 yr. B&B, Nursery Rows | 1.50 | 1.25 |
| 500 | " (Spreading Japanese Yew), 15-18" | 2.50 | |
| 750 | " (" " "), 18-24" | 3.00 | |
| 1,000 | hatfieldi (Upright Hatfield Yew), 5 yr. B&B, Nursery
Rows, 12-15" | 1.50 | 1.25 |
| 500 | " (Upright Hatfield Yew), 15-18", B&B | 2.50 | |
| 500 | " (" " "), 18-24", B&B | 3.00 | |
| 250 | hicksi (Hick's Yew), 18-24" | 3.00 | |
| 200 | intermedia (Spreading Japanese Yew), 12-15" | 1.50 | |
| 500 | " (" " "), 15-18" | 2.00 | |
| 100 | nigra (Outstanding Dark Green Compact Spreading Japanese
Yew), 15-18" | 2.50 | |
| 250 | " , 18-24" | 3.00 | |
| <u>THUJA</u> (Arborvitae) | | | |
| 500 | Biota aurea nana, 12-15" | 1.25 | |
| | 15-18" | 1.50 | |
| <u>VIBURNUM</u> | | | |
| 250 | carlesi compactum, 15-18", B&B | 2.00 | |
| 50 | rhytidophyllum (Leatherleaf Viburnum), 18-24", B&B | 2.00 | |
| 25 | setigerum (Theiferum)(Tea Viburnum), 2-2½', B&B | 1.25 | |
| 250 | wrighti, 18-24", B.R. | 1.00 | |
| 250 | " , 2', B.R. | 1.25 | |

* - *

ALL NURSERY STOCK OFFERED IN THIS LIST IS CERTIFIED FOR SHIPMENT ANYWHERE IN THE UNITED STATES.

Orders cannot be accepted for landscape size shrubs and balled and burlapped stock which require boxing or baling. Such stock should be picked up at the nursery or arrangements made for truck delivery.

Prices are F. O. B., Newport, R. I.
1 - 249 take the 100 rate

Terms: 2.10 - n. 30
250 and up take the 1000 rate

NO CHARGE IS MADE FOR PACKING - IT IS PART OF MY FRIENDLY SERVICE.

"WHERE QUALITY EXCELS"

